

Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 12




Figure 13




Figure 14




Figure 15






Figure 18






Figure 19




Figure 20




Figure 21




Figure 22






Figure 23






Figure 26




Figure 27




Figure 28

STORING PREDETERMINED FIRST FINAL VOICE CHARACTERISTIC
INFORMATION AT A FIRST SITE

2900

INPUTTING VOICE DATA AT A SECOND SITE

2902

PROCESSING THE VOICE DATA AT THE SECOND SITE TO
GENERATE INTERMEDIATE VOICE CHARACTERISTIC
INFORMATION

2904

TRANSMITTING THE INTERMEDIATE VOICE CHARACTERISTIC
INFORMATION FROM THE SECOND SITE TO THE FIRST SITE

2906

FURTHER PROCESSING AT THE FIRST SITE THE INTERMEDIATE
VOICE CHARACTERISTIC INFORMATION TRANSMITTED FROM THE
SECOND SITE FOR GENERATING SECOND FINAL VOICE
CHARACTERISTIC INFORMATION

2908

DETERMINING AT THE FIRST SITE WHETHER THE SECOND FINAL
VOICE CHARACTERISTIC INFORMATION IS SUBSTANTIALLY
MATCHING THE FIRST FINAL VOICE CHARACTERISTIC
INFORMATION AND GENERATING A DETERMINATION SIGNAL
INDICATIVE OF THE DETERMINATION

2910

Figure 29




Figure 30




Figure 31

3105



IDENTIFICATION INFORMATION	STANDARD VOICE CHARACTERISTIC INFORMATION
A's ID	A's STANDARD PATTERN
B's ID	B's STANDARD PATTERN
C's ID	C's STANDARD PATTERN
D's ID	D's STANDARD PATTERN
⋮	⋮

Figure 32




Figure 33




Figure 34




Figure 35




Figure 36




Figure 37A




Figure 37B




Figure 37C

66760-2000




Figure 38

Figure 39

